

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addiese: COMMISSIONER FOR PATENTS P O Box 1450 Alexandra, Virginia 22313-1450 www.wepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/581,816	11/16/2006	Kyung Jack Hong	M120.270.101 / 60324US012	1948
DICKE, BILL	7590 08/05/200 IG & CZAJA	EXAM	EXAMINER	
FIFTH STREE	ET TOWERS	SYKES, ALTREV C		
100 SOUTH FIFTH STREET, SUITE 2250 MINNEAPOLIS, MN 55402			ART UNIT	PAPER NUMBER
			1794	
			MAIL DATE	DELIVERY MODE
			08/05/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Application No. Applicant(s) HONG, KYUNG JACK 10/581,816

Office A - 41 O	l '						
Office Action Summary	Examiner	Art Unit					
	ALTREV C. SYKES	1794					
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the o	orrespondence ad	ldress				
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D. - Extensions of time may be available under the provisions of 37 CFR 1.15 - If NO period for reply is appecified above, the maximum statutory period - Failure to reply within the act or extended period for reply will by statute, Any reply received by the Office later than three months after the making amend patter term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. nely filed the mailing date of this of D (35 U.S.C. § 133).					
Status							
1) Responsive to communication(s) filed on							
2a) This action is FINAL. 2b) ☐ This							
 Since this application is in condition for allowar 	nce except for formal matters, pro	secution as to the	e merits is				
closed in accordance with the practice under E	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims							
4) Claim(s) 1-22 is/are pending in the application.	4) Claim(s) 1-22 is/are pending in the application.						
	4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>1-22</u> is/are rejected.							
7) Claim(s) is/are objected to.	Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	r election requirement.						
Application Papers							
9) The specification is objected to by the Examine	r.						
10) The drawing(s) filed on 02 June 2006 is/are: a)	□ accepted or b) objected to	by the Examiner.					
Applicant may not request that any objection to the	drawing(s) be held in abeyance. See	37 CFR 1.85(a).					
Replacement drawing sheet(s) including the correct	ion is required if the drawing(s) is ob	ected to. See 37 C	FR 1.121(d).				
11)☐ The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form P	ΓO-152.				
Priority under 35 U.S.C. § 119							
12)⊠ Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(a)	⊢(d) or (f).					
a)⊠ All b)□ Some * c)□ None of:							
_ , , ,	 Certified copies of the priority documents have been received. 						
_ : : : : : : : : : : : : : : : : : : :	Certified copies of the priority documents have been received in Application No						
Copies of the certified copies of the prior	•	ed in this National	Stage				
application from the International Bureau							
* See the attached detailed Office action for a list	of the certified copies not receive	d.					
Attachment(s)							
1) Notice of References Cited (PTO-892)	4) Interview Summary						
Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO/S5/08)	Paper No(s)/Mail Da 5) Notice of Informal F						
OF A MICHIGAN CHERCENIC PROPERTY FOR THE PROPERTY.							

Attachment(s)	
1) Notice of References Cited (PTO-892)	4) Interview Summary (PTO-413)
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Date
3) X Information Disclosure Statement(s) (PTO/SE/08)	5) Notice of Informal Patent Application
Paper No(s)/Mail Date 20060602, 20070821, 20071126.	6) Other:

Art Unit: 1794

DETAILED ACTION

Information Disclosure Statement

1. The information disclosure statement filed June 2, 2006 fails to comply with the provisions of 37 CFR 1.97, 1.98 and MPEP § 609 because there are no submitted translations of the foreign documents listed therein. It has been placed in the application file, but the information referred to therein has not been considered as to the merits. Applicant is advised that the date of any re-submission of any item of information contained in this information disclosure statement or the submission of any missing element(s) will be the date of submission for purposes of determining compliance with the requirements based on the time of filing the statement, including all certification requirements for statements under 37 CFR 1.97(e). See MPEP § 609.05(a).

Additionally, the listing of references in the Search Report is not considered to be an information disclosure statement (IDS) complying with 37 CFR 1.98. 37 CFR 1.98(a)(2) requires a legible copy of: (1) each foreign patent; (2) each publication or that portion which caused it to be listed; (3) for each cited pending U.S. application, the application specification including claims, and any drawing of the application, or that portion of the application which caused it to be listed including any claims directed to that portion, unless the cited pending U.S. application is stored in the Image File Wrapper (IFW) system; and (4) all other information, or that portion which caused it to be listed. In addition, each IDS must include a list of all patents, publications, applications, or other information submitted for consideration by the Office (see 37 CFR 1.98(a)(1) and (b)), and MPEP § 609.04(a), subsection 1. states, "the list ... must be submitted on a separate

Art Unit: 1794

paper." Therefore, the references cited in the Search Report have not been considered.
Applicant is advised that the date of submission of any item of information or any
missing element(s) will be the date of submission for purposes of determining
compliance with the requirements based on the time of filing the IDS, including all
"statement" requirements of 37 CFR 1.97(e). See MPEP § 609.05(a).

Drawings

The drawings are objected to under 37 CFR 1.83(a) because they fail to show ref. 15 2. Velcro tape as described in the specification for Figure 3 on pg. 6. Any structural detail that is essential for a proper understanding of the disclosed invention should be shown in the drawing. MPEP § 608.02(d). Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the

Art Unit: 1794

examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

 Claims 5-14 are rejected under 35 U.S.C. 102(b) as being anticipated by Nordin. (US 5,804,274)

Regarding claims 5 and 7, Nordin discloses a cleaning cloth for cleaning dirty surfaces and a mop on which said cleaning cloth is arranged. (See Col 1, lines 5-7) The cleaning cloth is characterized by a base fabric having on one side longer loops of yarm with a normal fibre fineness and shorter loops of microfilament yarm having great dirt and liquid absorption ability and at the other side substantially microfilament yarm with great liquid absorption ability, preferably in the shape of short loops. (See Col 1, lines 48-54) In regards to the limitation that the stiff fibers and the super-absorbent region are alternately arranged, examiner notes the configuration of the fibers in Figure 1 of Nordin wherein ref. 3 represents the longer loop fibers and ref. 2 represents the short loop fibers in an alternating pattern of two long fibers followed by one short fiber followed by another set of two long fibers. It is noted that the short loop fibers would be equivalent to applicant's high absorbable fiber and the longer loop fibers would be equivalent to applicant's stiff fibers as further set forth in claims 8 and 9 below. Additionally, the

Art Unit: 1794

limitation that the high-absorbable fibers (i.e. shorter loop microfibers) have a water retention rate greater than a water retention rate of said stiff fibers (i.e. longer loop staple fibres) would inherently be provided by as evidenced by the choice of fibers of both applicant and Nordin of polyester as set forth below. As such, the limitation is met and the burden is now upon the Applicant to prove otherwise. *In re Fitzgerald* 205 USPQ 594. Finally, the presently claimed water retention properties would inherently have been present once the Nordin product is provided. Note *In re Best*, 195 USPQ at 433, footnote 4 (CCPA 1977).

Regarding claim 6. Nordin discloses the ratio between shorter and longer loops on one side of the cloth should be such that 75%-25%, preferably 50% are made up by the shorter loops. (See Col 1, lines 65-67) As such it is noted that if 50% of the fibres on that side of the cloth containing both fibers is 50% short then the other 50% would be the longer loops.

Regarding claim 8. Nordin discloses the longer loops should consist of yarn of filaments or staple fibres having a normal fineness of at least 1 Dtex. (See Col 1, lines 62-64) The normal yarn further consists wholly or partly of synthetic fibres of polyester. (See Col 2, lines 4-6) Therefore, the synthetic fibres of polyester would be equivalent to applicant's stiff fibers.

Regarding claim 9, Nordin discloses the shorter loops consist of yarn of microfilaments or microfibres having a fineness of at most 1 Dtex. (See Col 1, lines 59-

61) The microfilament yarns consist suitably of synthetic fibres of polyester and polyamide. (See Col 2, lines 1-3) Therefore, the microfibers of polyester and polyamide would be equivalent to applicant's high-absorbable polyester microfibers. Nordin further discloses all yarns present in the cleaning cloth are suitably of synthetic material. (See Col 2, lines 44-45)

Regarding claims 10-11, Nordin discloses it is suitable that the base fabric is a woven or knitted cloth consisting wholly or partly of microfibers or microfilaments. (See Col 1, lines 55-58) The fabric may be woven or knitted with loops on both sides. It can, however, instead of having woven loops, be provided with yarn loops attached by sewing whereby loops are formed. (See Col 2, lines 36-39)

Regarding claims 12-14, Nordin discloses for Figure 2, a mop to be used with the cleaning cloth consisting principally of a telescopic pipe or shaft which is hingedly connected with a disc of aluminum or similar material. Velcro tape "males" moulded in grooves are inserted on the underside of the disc. When the mop, the aluminum disc with the Velcro bands on the underside is simply pressed against the element of cleaning cloth which is to be used and the mounting is thereby complete. (See Col 4, lines 6-14) As such it is noted that the disc as disclosed by Nordin would necessitate the cloth being cut to a predetermined area in order to provide for a satisfactory mounting of the cloth to the disc necessary for the cleaning operation. Nordin also discloses if the cleaning element is to be removed it is possible to press one's foot against it and push off the aluminum disc. (See Col 4, lines 14-16) To use the mop in this way with Velcro tapes it is therefore necessary that the upper side of the cleaning element is constructed to serve as a female at the attachment with the Velcro tape. It is therefore suitable to sew together the cleaning cloth with a cloth which is intended to be the upper side which has the properties of being

Art Unit: 1794

able to be attached to the Velcro bands. (Col 4, lines 17-23) As such, it is noted by examiner that the Velcro tape would be equivalent to a fastening means of a loop part of reclosable, hook and loop tape. Additionally, the matching up of the bands (i.e. sheets) of male and female grooves of the Velcro tapes attached to the disc and to the cleaning cloth would automatically provide for a margin of said fabric overlocking to a margin of said cloth.

Regarding claims 16-18, 20 and 22, it is noted by examiner that the methods of manufacturing a fabric comprising the steps as claimed by applicant are highly anticipated by Nordin as evidenced by the product construction thus formed. As there is no showing on the record that the method as claimed would lead to anything other than the product as claimed by Nordin, the limitations are met because the steps are provided for in the outline of the product preferences.

Claim Rejections - 35 USC § 103

- The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior at are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- The factual inquiries set forth in Graham v. John Deere Co., 383 U.S. 1, 148 USPQ 459
 (1966), that are applied for establishing a background for determining obviousness under
 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.

Art Unit: 1794

Ascertaining the differences between the prior art and the claims at issue.

- 3. Resolving the level of ordinary skill in the pertinent art.
- Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claim 19 is rejected under 35 U.S.C. 103(a) as being unpatentable over Nordin (US 5,804,274) as applied to claim 16 above, in view of Truong et al. (US 2004/0074520).

Regarding claim 19. Nordin discloses all of the claim limitations as set forth above but the reference does not explicitly disclose the fibers includes circular-knitting the fibers. Nordin does disclose it is suitable that the base fabric is a woven or knitted cloth consisting wholly or partly of microfibers or microfilaments. (See Col 1, lines 55-58) The fabric may be woven or knitted with loops on both sides. It can, however, instead of having woven loops, be provided with yarn loops attached by sewing whereby loops are formed. (See Col 2, lines 36-39) Nordin also discloses a dry or wrung-out cloth may then be used after cleaning. (See Col 3, lines 62-63)

Truong et al. discloses a cleaning implement comprising a cleaning support member, the cleaning support member having a substantially flat bottom surface and comprising fastening hooks on the bottom surface, and a reversible cleaning pad releasably attached to the bottom surface of cleaning support member. The reversible cleaning pad includes first and second sides, the first side of the cleaning pad comprises a first cleaning web material and the second side of the cleaning pad comprises a second cleaning web material, both web materials being directly attachable to fastening hooks. (See Abstract) Truong also discloses the microfiber web material is a knitted cloth web, either single knit or double knit, preferably prepared by the circular knitting process. (See [0054])

As both Nordin and Truong et al. are both directed to cleaning cloths, the art is analogous. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to utilize the circular knitting process as taught by Truong et al. in the place of the knitting process as disclosed by Nordin since the processes are held to be equivalent thereby yielding similar results of stitching. One would have been motivated to use the circular-knitting method since Truong discloses that knitting is preferred to weaving and provides an elastic cloth that is easier to wring out when wet. (See [0055])

 Claims 15 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nordin (US 5,804,274) as applied to <u>claim 16</u> above, in view of Kresse (US 4,961,242).

Regarding claims 15 and 21, Nordin discloses all of the claim limitations as set forth above. Nordin discloses it is possible to arrange further absorption layers for water. This can suitably be done by inserting one or more layers of the cleaning cloth but even other absorption layers may be used. (See Col 4, lines 24-28) However, the reference does not specifically disclose a cloth wrapped about and stitched to respective margins of said fabric and said sheet. Additionally, the reference does not explicitly teach the fibers include tufting the fibers.

Kresse et al. discloses mop head covering for a wet mop, having the lowest possible inherent weight, high absorptive liquid uptake and liquid-retaining capacity with a simultaneously high dirt and dirty liquid uptake capacity. (See Col 1, lines 51-54)

Besides areas with high liquid uptake capacity (sponge or fleece cloth material strips), areas with especially high soil, dirt, or solid material uptake capacity are provided by

Application/Control Number: 10/581,816

Art Unit: 1794

fringes, loops or tufts. (See Col 2, lines 14-19) On its underside, i.e., on the cleaning-active side, the textile supporting structure has strips of sponge cloth material arranged in rows adjacent and parallel to one another. These strips are arranged juxtaposed to one another in the longitudinal direction of the supporting structure, and in sectors along lines on the supporting structure. The strips manifest a length that is customary in the case of wet mop coverings and are sewn, tufted, glued, or welded onto the supporting structure. (See Col 2, lines 51-68)

As Nordin and Kresse et al. are both directed to cleaning cloths, the art is analogous. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to utilize a mop head covering as taught by Kresse et al. as one of the other absorption layers in the cloth as disclosed by Nordin. One would have been motivated by the desire to increase the liquid uptake and liquid-retaining capacity with a simultaneously high dirt uptake capacity thereby improving the cleaning process. (See Col 1, lines 51-54) Additionally, one would have been motivated to tuft the fibers of the Nordin cloth since Kresse et al. discloses that doing so to the fringes (or loops) of the mop cloth provides for fine hairs which retain the soil, dirt, and other small particles, especially well. (See Col 3, lines 2-3)

Conclusion

Any inquiry concerning this communication or earlier communications from the
examiner should be directed to ALTREV C. SYKES whose telephone number is
(571)270-3162. The examiner can normally be reached on Monday-Thursday, 8AM5PM EST, alt Friday.

Art Unit: 1794

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Carol Chaney can be reached on 571-272-1254. The fax phone number for

the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published

applications may be obtained from either Private PAIR or Public PAIR. Status

information for unpublished applications is available through Private PAIR only. For

more information about the PAIR system, see http://pair-direct.uspto.gov. Should you

have questions on access to the Private PAIR system, contact the Electronic Business

Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO

Customer Service Representative or access to the automated information system, call

800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/ACS/ 7/24/08

/Carol Chaney/

Supervisory Patent Examiner, Art Unit 1794